

Good Sense Potpourri Instant Air Freshener

HMIS NFP		NFPA	Personal protective equipment		
Health	0	0	None / Aucune / Ninguno		
Fire Hazard	4	4	•		
Reactivity	0	0			

Version Number: 1 Preparation date: 2007-12-12

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Good Sense Potpourri Instant Air Freshener

MSDS #: 114773005
Product Code: 04771
Recommended use: Air care.

Manufacturer, importer, supplier:

US Headquarters

JohnsonDiversey, Inc.

8310 16th St.

Canadian Headquarters

JohnsonDiversey - Canada, Inc.

2401 Bristol Circle

Sturtevant, Wisconsin 53177-0902 Oakville, Ontario L6H 6P1
Phone: 1-888-352-2249 Phone: 1-800-668-3131

MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. CONTENTS UNDER PRESSURE.

Principle routes of exposure: Eye contact. Skin contact. Inhalation.

Eve contact: None

Skin contact: None known.
Inhalation: None known.
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

nazaraous ingreaterits					
Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat	LD50 Dermal -	LC50 Inhalation - Rat
			(mg/kg)	Rabbit	
Propane	74-98-6	5 - 10%	Not available	Not available	=658 mg ()
Isobutane	75-28-5	10 - 20%	Not available	Not available	=658 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact: Rinse with plenty of water. **Skin contact:** Rinse with plenty of water.

Inhalation:No specific first aid measures are required.Ingestion:No specific first aid measures are required.

Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.

Specific hazards: Aerosol product - Containers may rocket or explode in heat of fire.

Unusual hazards: None known

Specific methods: Aerosol Product - Containers may rocket or expode in heat of fire. Use water spray to keep fire-exposed

containers cool.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Use personal protective equipment Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use only in well-ventilated areas. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Store in a cool, dry, well ventilated area away from heat or open flame. Protect from freezing. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements.

Personal Protective Equipment

Eye protection:

Hand protection:

No special requirements under normal use conditions
No special requirements under normal use conditions
Skin and body protection:

No special requirements under normal use conditions
Respiratory protection:

No special requirements under normal use conditions

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA)	
·			1800 mg/m ³ (TWA)	
Isobutane	75-28-5	1000 ppm (TWA)		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk density: Aerosol No information available Dilution pH: pH: No information available. 7.0 Appearance: Aerosol Vapor density: No information available **Evaporation Rate** Color: Colorless No information available Boiling point/range: Not determined Odor: Floral

Specific gravity: 0.805 Melting point/range: Not determined

Density: 6.72 Decomposition temperature: Not determined

VOC: 25.0% * Autoignition temperature: No information available

Flash point: <20°F <-7°C Partition coefficient (n-octanol/water): No information available Solubility: Solubility in other solvents: No information available

Viscosity: No information available Elemental Phosphorus: 0.018 %P

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

Conditions to avoid: Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects:None knownMutagenic effects:None knownReproductive toxicity:None knownTarget organ effects:None known

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Use up contents if possible before disposal . If possible, recycle empty aerosol cans to the nearest steel recycling center .

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Japan (ENCS), New Zealand (NZIoC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Propane	74-98-6	Х	Х	X	X
Isobutane	75-28-5	X	Х	X	-
Water	7732-18-5	1	-	-	-

CERCLA/ SARA

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate:

Delayed:
Fire:
X
Reactivity:
Sudden Release of Pressure:
X

<u>Canada</u>

WHMIS hazard class: A Compressed gases.



Ingredient(s)	CAS#	NPRI	
Propane	74-98-6	X	

16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.