MSDS Number: L6697 * * * * * Effective Date: 02/13/06 * * * * * Supercedes: 11/10/05



Material Safety Data Sheet

From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865





24 Hour Emergency Telephone: 908-859-2151 CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. and Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance

LITHIUM CHLORIDE

1. Product Identification

Synonyms: Lithium monochloride

CAS No.: 7447-41-8 Molecular Weight: 42.39 Chemical Formula: LiCl

Product Codes:

J.T. Baker: 2370, 2374, 4002

Mallinckrodt: 5852

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent
Hazardous		
Lithium Chloride Yes	7447-41-8	100%

3. Hazards Identification

Emergency Overview

WARNING! HARMFUL IF SWALLOWED OR INHALED. AFFECTS CENTRAL NERVOUS SYSTEM, RESPIRATORY SYSTEM, MUSCLES AND KIDNEYS. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. SKIN IRRITATION MAY BE SEVERE.

SAF-T-DATA^(tm) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate (Life) Flammability Rating: 0 - None Reactivity Rating: 0 - None Contact Rating: 3 - Severe

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Green (General Storage)

Potential Health Effects

Inhalation:

Causes irritation to the respiratory tract. Can be absorbed through inhalation with symptoms to parallel ingestion.

Ingestion:

Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea. In severe cases, lithium can cause apathy, sluggishness, drowsiness, slurred speech, blurred vision, irregular eye movements, weakness, incoordination, lethargy, heart effects, brain effects, ringing in the ears, tremors and muscle twitching, central nervous system damage, kidney effects, thyroid changes, coma, pulmonary edema, and renal failure.

Skin Contact:

Causes irritation to skin. Irritation may be severe.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Prolonged or repeated ingestion may cause symptoms paralleling ingestion. Death may occur from large repeated oral doses.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician.

Eye Contact:

Wash eyes with plenty of water for at least 15 minutes. Call a physician.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard.

Explosion:

Not considered to be an explosion hazard.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance: White crystals. Odor: Odorless. Solubility: 1 g/1.3 ml cold water Specific Gravity: 2.07 pH: Aqueous solution is neutral or slightly alkaline % Volatiles by volume @ 21C (70F): 0 Boiling Point: 1360C (2480F) Melting Point: 613C (1135F)

Vapor Density (Air=1):

No information found.

Vapor Pressure (mm Hg):

No information found.

Evaporation Rate (BuAc=1):

No information found.

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

Emits toxic fumes of chlorine when heated to decomposition.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Bromine trifluoride.

Conditions to Avoid:

Moisture and incompatibles.

11. Toxicological Information

Toxicological Data:

Oral rat LD50: 526 mg/kg. Investigated as a tumorigen, mutagen, and reproductive effector.

Reproductive Toxicity:

Has shown some evidence of reproductive effects in laboratory animals.

\Cancer Lists\			
	NTP Carcinogen		
Ingredient	Known	Anticipated	IARC
Category			
Lithium Chloride (7447-41-8)	No	No	
None			

12. Ecological Information

Environmental Fate:

No information found.

Environmental Toxicity:

Oral (wild bird) LD50: 422 mg/kg (RTECS, 1995)

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

\Chemical Inventory Status - Part 1	\			
Ingredient Australia		TSCA	EC	Japan
Lithium Chloride (7447-41-8) Yes			Yes	Yes
Chemical Inventory Status - Part 2	\			
Ingredient Phil.		Korea		nada NDSL
 Lithium Chloride (7447-41-8) Yes		Yes	Yes	No
313	-SARA	302-		SARA
010	RQ	TPQ	Lis	t
Lithium Chloride (7447-41-8)	No	No	No	
\Federal, State & International Reg	ulatio	ons - P	art 2	\

mcca		-RCRA-	-
TSCA- Ingredient	CERCLA	261.33	8 (d)
- Lithium Chloride (7447-41-8)	No	No	No
Chemical Weapons Convention: No TSCA 12 SARA 311/312: Acute: Yes Chronic: Yes Reactivity: No (Pure / Solid)			-

Australian Hazchem Code: None allocated.

Poison Schedule: None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 0

Label Hazard Warning:

WARNING! HARMFUL IF SWALLOWED OR INHALED. AFFECTS CENTRAL NERVOUS SYSTEM, RESPIRATORY SYSTEM, MUSCLES AND KIDNEYS. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. SKIN IRRITATION MAY BE SEVERE.

Label Precautions:

Avoid contact with eyes, skin and clothing.

Keep container closed.

Avoid breathing dust.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. In all cases get medical attention immediately.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 3.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)