Ethanol, Denatured, 95%



Section 1 Product Description

Product Name: Ethanol, Denatured, 95% **Recommended Use:** Science education applications

Synonyms: Alcohol, Ethyl alcohol

Distributor: Carolina Biological Supply Company, 2700 York Road, Burlington, NC 27215-3398

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER





Highly flammable liquid and vapor. May cause damage to organs.

GHS Classification:

Flammable Liquid Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2

Other Safety Precautions: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Acute Toxicity Dermal Contains 90.975 % of the mixture consists of ingredient(s) of unknown toxicity

Section 3

Composition / Information on Ingredients

| Chemical Name | CAS# | <u>%</u> |
|---------------|-----------|----------|
| Ethanol | 64-17-5 | 85.98 |
| Water | 7732-18-5 | 5 |
| 2-Propanol | 67-63-0 | 4.75 |
| Methanol | 67-56-1 | 4.28 |

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact: After contact with skin, wash immediately with plenty of water.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Vapors may travel back to ignition source. Closed Containers exposed to heat may

explode. Extremely flammable.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is

Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this MSDS. Ve

ntilate the contaminated area.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

Section 7 Handling and Storage

Handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bo

nd container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../ equipment. Use only

non-sparking tools. Take precautionary measures against static discharge. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8 Protection Information

| | ACC | <u> SIH</u> | <u>OSHA PEL</u> | | |
|---------------|--------------|---------------|------------------|--------|--|
| Chemical Name | <u>(TWA)</u> | (STEL) | <u>(TWA)</u> | (STEL) | |
| Ethanol | N/A | 1000 ppm STEL | 1000 ppm TWA; | N/A | |
| | | | 1900 mg/m3 TWA | | |
| 2-Propanol | 200 ppm TWA | 400 ppm STEL | 400 ppm TWA; 980 | N/A | |
| | | | mg/m3 TWA | | |
| Methanol | 200 ppm TWA | 250 ppm STEL | 200 ppm TWA; 260 | N/A | |
| | | | mg/m3 TWA | | |

Control Parameters

Eye Protection:

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

Respiratory Protection:

Lab coat, apron, eye wash, safety shower. No respiratory protection required under normal conditions of use. Provide general room

exhaust ventilation if symptoms of overexposure occur as explained Section 11. A

respirator is not normally required.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Wear chemical splash goggles when handling this product. Have an eye wash station

available.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular

intervals. Clean protective equipment regularly. Wash hands and other exposed areas

with mild soap and water before eating, drinking, and when leaving work

Gloves: Nitrile

Section 9 Physical Data

Formula: See Section 3

Molecular Weight: (Ethanol) 46.07

Appearance: Colorless Liquid

Vapor Pressure: 57.3 hPa at 20°C

Evaporation Rate (BuAc=1): 3.3

Vapor Density (Air=1): 1.6

Odor: Moderate Alcohol Odor Specific Gravity: (Ethanol) 0.789 at 20 °C

Odor Threshold: No data availableSolubility in Water: SolublepH: No data availableLog Pow (calculated): -0.32Melting Point: 114 CAutoignition Temperature: 363 C

Boiling Point: 79 C Decomposition Temperature: No data available

Flash Point: 17 C

Viscosity: No data available

Flammable Limits in Air: (Ethanol) LEL: 3.3% LIEL: 10%

Percent Volutile by Volume: 05%

Flammable Limits in Air: (Ethanol) LEL: 3.3% UEL: 19% Percent Volatile by Volume: 95%

Section 10

Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above the high flash point of this combustible material in combination with

sparks, open flames, or other sources of ignition.

Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials

Hazardous Decomposition Products: Carbon dioxide
Hazardous Polymerization: Will not occur

Section 11

Toxicity Data

Routes of Entry Inhalation and ingestion.

Symptoms (Acute): Respiratory Irritation, Dermititis, Central Nervous System Depression

Delayed Effects: Liver disorders

Acute Toxicity:

| Chemical Name Ethanol | CAS Number 64-17-5 | Oral LD50 Oral LD50 Rat 7060 mg/kg | Dermal LD50 | Inhalation LC50 INHALATION LC50-4H Rat 124.7 MG/L |
|-----------------------|---------------------------|-------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Water | 7732-18-5 | Not applicable | | |
| 2-Propanol | 67-63-0 | Oral LD50 Rat 4396 mg/kg | Dermal LD50 Rat 12800 mg/kg Dermal LD50 Rabbit 12870 mg/kg | INHALATION LC50-4H Rat 72.6 MG/L |
| Methanol | 67-56-1 | Oral LD50 Rat 5628 mg/kg | Dermal LD50 Rabbit 15800 mg/kg | INHALATION LC50-4H Rat 83.2 MG/L INHALATION LC50-4H Rat 64000 ppm |

Carcinogenicity:

Chemical Name CAS Number IARC NTP **OSHA** 64-17-5 Listed Listed Listed Ethanol 2-Propanol 67-63-0 Listed Not listed Not listed Methanol 67-56-1 Not listed Not listed Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: Central Nervous System, Eyes

Chronic: Eyes

Section 12 Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or

wildlife.

Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.

Persistence: Biodegradation is expected to be a major fate process for this material.

Bioaccumulation: Bioconcentration is not expected to occur.

Degradability: Biodegrades quickly.

Other Adverse Effects: No data

Chemical Name CAS Number Eco Toxicity

Ethanol 64-17-5 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] Water 7732-18-5 No data available 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 μG/L

2-Propanol 96 HR LC50 LEPOMIS MACROCHIROS > 1400000 µG/L

Methanol 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]

48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L 48 HR EC50 DAPHNIA MAGNA 13299 MG/L

72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN1170

Ethanol Solutions

Class 3 P.G. II Air - IATA Proper Shipping Name:

UN1170

Ethanol Solutions

Class 3 P.G. II

Section 15

Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

| Chemical Name | CAS Number | § 313 Name | § 304 RQ | CERCLA RQ | § 302 TPQ | CAA 112(2) TQ |
|---------------|---------------|----------------------|----------|-----------|-----------|------------------|
| Ethanol | 64-17-5 | No | No | No | No | No |
| 2-Propanol | 67-63-0 | Isopropyl alcohol | No | No | No | No |
| Methanol | 67-56-1 | No | No | No | No | No |

California Prop 65:

WARNING: This product contains a chemical known to the state of California to

cause cancer and birth defects or other reproductive harm.

Section 16

Additional Information

Revised: 04/01/2013 Replaces: 03/19/2013 Printed: 06-21-2013

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

| 2 | lossarv | |
|---|---------|---|
| G | iossarv | 7 |

| ACGIH | American Conference of Governmental | NTP | National Toxicology Program |
|--------|---------------------------------------------|------|-----------------------------------------------|
| | Industrial Hygienists | OSHA | Occupational Safety and Health Administration |
| CAS | Chemical Abstract Service Number | PEL | Permissible Exposure Limit |
| CERCLA | Comprehensive Environmental Response, | ppm | Parts per million |
| | Compensation, and Liability Act | RCRA | Resource Conservation and Recovery Act |
| DOT | U.S. Department of Transportation | SARA | Superfund Amendments and Reauthorization Act |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| N/A | Not Available | TSCA | Toxic Substances Control Act |
| | | IDLH | Immediately dangerous to life and health |
| | | | |